

ALLUANCE GROUP

PRICES EFFECTIVE MARCH 2023



Table of Contents

Wolf Model Overview
Ovens
Convection Steam Ovens
Convection Speed Ovens
Warming Drawer
Vacuum Seal Drawer
Module Cooktops
Induction Cooktops
Gas Cooktops
Coffee Systems
Induction Ranges59
Dual Fuel Ranges
Sealed Burner Rangetops
Outdoor Gas Grills
Cooktop Ventilation
Pro Ventilation

Model numbers, specifications, and prices are subject to change at any time without notice.



The information and images in this guide are the copyright property of Sub-Zero, Inc. Neither this guide nor any information or images contained herein may be copied or used in whole or in part without the express written permission of Sub-Zero, Inc. ©Sub-Zero, Inc. all rights reserved.

Sub-Zero, Sub-Zero & Design, Sub-Zero & Snowflake Design, Dual Refrigeration, The Living Kitchen, Great American Kitchens The Fine Art of Kitchen Design, Wolf, Wolf & Design, Wolf Gourmet, W & Design, red colored knobs, Cove, and Cove & Design, are registered trademarks and service marks of Sub-Zero Group, Inc. and its subsidiaries.

All other trademarks are property of their respective owners in the United States and other countries.











MODEL	ICBSO3050TM/S/T	ICBDO3050TM/S/T	ICBSO3050PM/S/P	ICBDO3050PM/S/P
Description	Transitional Single Oven	Transitional Double Oven	Professional Single Oven	Professional Double Oven
MODEL / INSTALLATION OPTIONS				
Standard	•	•	•	•
Flush Inset	•	•	•	•
PRICES				
Base Price	€7.230	€11.100	€7.610	€11.490
SPECIFICATIONS				
Width (mm)	759	759	759	759
Height (mm)	724	1292	724	1292
Depth (mm)	584	584	584	584
Door Clearance (mm)	543	543	543	543
Overall Capacity (L)	144	144 / 144*	144	144 / 144*
Interior Usable Volume (L)	125	125 / 125*	125	125 / 125*
Heating Elements	4	4 / 4*	4	4 / 4*
FEATURES Handle Type	Tubular	Tubular	Pro	Pro
Convection	Dual	Dual	Dual	Dual
	10	Dual 10	Duai 10	
Cooking Modes	30-285	30-285	30-285	30-285
Temperature Range (°C)	30-285	30-285	30-285	30-285
Interactive Color Touchscreen	EN FR DE IT ES NL CN			
Display Language Selection	EN FR DE II ES NL CN	EN FR DE II ES NL CN		EN FR DE IT ES NL CN
Programmable Start/Stop	•	•	•	•
Self-Cleaning (Pyrolitic)				
Standard Oven Racks	2	1 / 1*	2	1 / 1*
Full Extension Ball Bearing Rack Multifunction Pan	1	1	1	1
Temperature Probe	•	•	•	•
Oven Grill (Broil)	•	•	•	•
Oven Gritt (Brott)	•			
TECHNICAL DATA				
Energy Class	Α	Α	Α	Α
Voltage	220-240	220-240	220-240	220-240
Electrical Load (kW)	8.4-9.6	8.4-9.6	4.2-4.8	8.4-9.6
Electrical Load 3-Phase (kW)	4.2-4.8	4.2-4.8	3-3.6	4.2-4.8
Frequency (Hz)	50/60	50/60	50/60	50/60

*Oven 2.









5

MODEL	ICBSO3050CM/B	ICBDO3050CM/B	ICBSO3050CM/S	ICBDO3050CM/S
Description	Contemporary Single Oven	Contemporary Double Oven	Contemporary Stainless Steel Single Oven	Contemporary Stainless Steel Double Ove
MODEL / INSTALLATION OPTIONS				
Standard	•	•	•	•
Flush Inset	•	•	•	•
PRICES				
Base Price	€7.370	€11.250	€7.380	€11.260
SPECIFICATIONS				
Width (mm)	759	759	759	759
Height (mm)	724	1292	724	1292
Depth (mm)	584	584	584	584
Door Clearance (mm)	543	543	543	543
Overall Capacity (L)	144	144 / 144*	144	144 / 144*
Interior Usable Volume (L)	125	125 / 125*	125	125 / 125*
Heating Elements	4	4 / 4*	4	4 / 4*
FEATURES				
Handle Type	Handleless	Handleless	Handleless	Handleless
Convection	Dual	Dual	Dual	Dual
Cooking Modes	10	10	10	10
Temperature Range (°C)	30-285	30-285	30-285	30-285
Interactive Color Touchscreen	•	•	•	•
Display Language Selection	EN FR DE IT ES NL CN	EN FR DE IT ES NL CN	EN FR DE IT ES NL CN	EN FR DE IT ES NL CN
Programmable Start/Stop	•	•	•	•
Self-Cleaning (Pyrolitic)	•	•	•	•
Standard Oven Racks	1	1 / 1*	1	1 / 1*
Full Extension Ball Bearing Rack	2	2 / 2*	2	2 / 2*
Multifunction Pan	1	1	1	1
Temperature Probe	•	•	•	•
Oven Grill (Broil)	•	•	•	•
TECHNICAL DATA				
Energy Class	A	A	Α	Α
Voltage	220-240	220-240	220-240	220-240
Electrical Load (kW)	4.2-4.8	8.4-9.6	4.2-4.8	8.4-9.6
Electrical Load 3-Phase (kW)	3-3.6	4.2-4.8	3-3.6	4.2-4.8

*Oven 2.







MODEL	ICBSO2450TE/S/T	ICBSO3050TE/S/T	ICBSO3050PE/S/P
Description	Transitional Single Oven	Transitional Single Oven	Professional Single Oven
MODEL / INSTALLATION OPTIONS			
Standard	•	•	•
Flush Inset	•	•	•
PRICES			
Base Price	€5.330	€6.570	€6.570
SPECIFICATIONS			
Width (mm)	597	759	759
Height (mm)	597	723	723
Depth (mm)	572	584	584
Door Clearance (mm)	460	543	543
Overall Capacity (L)	68	131	131
Interior Usable Volume (L)	51	113	113
Heating Elements	3	4	4
FEATURES			
Handle Type	Tubular	Tubular	Pro
Convection	Single	Dual	Dual
Cooking Modes	12	10	10
Temperature Range (°C)	32-280	30-285	30-285
Display Language Selection	EN ES FR IT DE NL ZH	DE FR IT EN ES NL CN	DE FR IT EN ES NL CN
Programmable Start/Stop	•	•	•
Self-Cleaning (Pyrolitic)	•	•	•
Standard Oven Racks	1	1	1
Full Extension Ball Bearing Rack	3	2	2
Full Width Baking Tray	1		
Multifunction Pan		1	1
Temperature Probe	•	•	•
Oven Grill (Broil)	•	•	•
TECHNICAL DATA			
Energy Class	A+	A	A
Voltage	230	220-240	220-240
Electrical Load (kW)	3.3	3.8-4.8	3.8-4.8
Electrical Load 3-Phase (kW)		3-3.6	3-3.6
Frequency (Hz)	50	50/60	50/60







MODEL	ICBCSO30TM/S/TH	ICBCSO30PM/S/PH	ICBCSO30CM/B
Description	M Series Transitional Steam Oven	M Series Professional Steam Oven	M Series Contemporary Steam Oven with Retractable Handle
MODEL / INSTALLATION OPTIONS			
Standard	•	•	•
Flush Inset	•	•	•
PRICES			
Unplumbed	€7.230	€7.230	€7.400
Plumbed			
SPECIFICATIONS	759	759	759
Width (mm)	454	454	454
Height (mm)	546	546	546
Depth (mm)	360	360	360
Door Clearance (mm)	51	51	51
Overall Capacity (L)	51	51	51
Interior Usable Volume (L)	1	1	1
Water Tank Capacity (L)	2200	2200	2200
Convection Heating Element (W)			
Grill (Broil) Heating Element (W)	Tubular	Pro	Retractable
FEATURES	•	•	•
Handle Type	12	12	12
Convection	30-230	30-230	30-230
Cooking Modes	DE FR IT EN ES NL RU ZH HE TR CN	DE FR IT EN ES NL RU ZH HE TR CN	DE FR IT EN ES NL RU ZH HE TR CN
Temperature Range (°C)	•	•	•
Display Language Selection	2	2	2
Programmable Start/Stop	•	•	•
Standard Oven Rack Positions	•	•	•
Full Extension Rack Positions			
Perforated Pan	A+	A+	A+
Solid Pan	220-240	220-240	220-240
Grill Pan with Rack	3.7	3.7	3.7
Temperature Probe	50	50	50
LED Lit Interior	•		
TECHNICAL DATA			
Energy Class	А		
Voltage	230		
Electrical Load (kW)	3.7		
Frequency (Hz)	50		










MODEL	ICBCSO2450TE/S/T	ICBCSO2450CM/S	ICBCSO3050TE/S/T	ICBCSO3050PE/S/P
Description	E Series Transitional Steam Oven	M Series Contemporary Stainless Steel Handleless Steam Oven	E Series Transitional Steam Oven	E Series Professional Steam Oven
MODEL / INSTALLATION OPTIONS				
Standard	•	•	•	•
Flush Inset	•	•	•	•
PRICES				
Unplumbed	€7730	€8.390	€9.840	€9.840
Plumbed	€8520			
SPECIFICATIONS				
Width (mm)	597	597	759	759
Height (mm)	454	454	454	454
Depth (mm)	572	572	572	572
Door Clearance (mm)	360	360	360	360
Overall Capacity (L)	48	48	68	68
Interior Usable Volume (L)	34	34	51	51
Water Tank Capacity (L)	1.2	1.2	1.2	1.2
Convection Heating Element (W)	1889	1889	1889	1889
Grill (Broil) Heating Element (W)	1750	1750	1750	1750
FEATURES				
Handle Type	Tubular	Handleless	Tubular	Pro
Convection	Single	Single	Dual	Dual
Cooking Modes	13	13	13	13
Temperature Range (°C)	30-230	30-230	30-230	30-230
Display Language Selection	EN ES FR IT DE NL ZH	EN ES FR IT DE NL ZH	EN ES FR IT DE NL ZH	EN ES FR IT DE NL ZH
Programmable Start/Stop	•	•	•	•
Standard Oven Rack Positions	1	1	1	1
Full Extension Rack Positions	3	3	3	3
Perforated Pan	1	1	1	1
Solid Pan	1	1	1	1
Grill Pan with Rack	1	1	1	1
Temperature Probe	•	•	•	•
LED Lit Interior	•	•	•	•
TECHNICAL DATA				
Energy Class	A+	A+	Α	A
Voltage	230	230	230	230
Electrical Load (kW)	3.7	3.7	3.7	3.7
Frequency (Hz)	50	50	50	50
















	war .	ARREL TO SERVICE STATE OF THE	water .	senar .	nata*	
MODEL	ICBSPO24TE/S/TH	ICBSPO30TE/S/TH	ICBSPO30PE/S/PH	ICBSPO30TM/S/TH	ICBSPO30PM/S/PH	ICBSPO30CM/B/TH
Description	E Series Transitional Speed Oven	E Series Transitional Speed Oven	E Series Professional Speed Oven	M Series Transitional Speed Oven	M Series Professional Speed Oven	M Series Contemporary Speed Oven
MODEL / INSTALLATION OPTIONS						
Standard	•	•	•	•	•	•
Flush Inset	•	•	•	•	•	•
PRICES						
Base Price	€3.740	€4.020	€4.220	€4.070	€4.210	€3.910
SPECIFICATIONS						
Width (mm)	597	759	759	759	759	759
Height (mm)	454	454	454	454	454	454
Depth (mm)	546	546	546	546	546	546
Door Clearance (mm)	360	360	360	360	360	360
Overall Capacity (L)	46	46	46	46	46	46
Interior Usable Volume (L)	43	43	43	43	43	43
Convection Heating Element (W)	1600	1600	1600	1600	1600	1600
Grill (Broil) Heating Element (W)	1500	1500	1500	1500	1500	1500
FEATURES						
Handle Type	Tubular	Tubular	Pro	Tubular	Pro	Tubular
Convection	•	•	•	•	•	•
Cooking Modes	11	11	11	11	11	11
Temperature Range (°C)	40-230	40-230	40-230	40-230	40-230	40-230
Display Language Selection	EN	EN	EN	EN	EN	EN
Programmable Start/Stop						
Interior Racks	2	2	2	2	2	2
Rotating Glass Tray	•	•	•	•	•	•
Temperature Probe						
LED Lit Interior	•	•	•	•	•	•
TECHNICAL DATA						
Voltage	220-240	220-240	220-240	220-240	220-240	220-240
Electrical Load (kW)	2.55	2.55	2.55	2.55	2.55	2.55
Frequency (Hz)	50	50	50	50	50	50



MODEL	ICBVS24
Description	Vacuum Seal Drawer
MODEL / INSTALLATION OPTIONS	
Standard	•
Flush Inset	•
PRICES	
Base Price	€4.740
SPECIFICATIONS	
Width (mm)	597
Height (mm)	140
Depth (mm)	533
Door/Drawer Clearance (mm)	432
Overall Capacity (L)	7
FEATURES	
Black	•
Stainless Steel	•
Handle Type	Handleless
Hidden Controls	•
Vacuum Settings	3
Heat-sealing Levels	3
TECHNICAL DATA	
Voltage	220-240
Electrical Load (kW)	0.3
Frequency (Hz)	50/60





50/60

MODEL	ICBCG152TF/S ◆	ICBMM15TF/S ◆
Description	Transitional Gas Cooktop	Transitional Multifunction Cooktop
Models with this symbol (\spadesuit) can be pair	ed with cooktops and modules.	
MODEL / INSTALLATION OPTIONS		
Standard	•	•
Flush		
Side-by-Side Installation	•	•
Installation with Downdraft	•	•
PRICES		
Natural Gas	€2.240	€2.380
Liquid Propane	€2.240	€2.380
SPECIFICATIONS		
Width (mm)	381	381
Height (mm)	102	127
	533	533
Depth (mm) Burner – Large (kW)	555	8.0
Burner – Large (kW)	3.5	6.0
Burner – Small (kW)	2.7	
Bullier – Smatt (KW)	2.7	
FEATURES		
Illuminated Controls	•	•
Choice of Knob Color		
True Simmer Setting	•	
Individual Spark Ignition	•	•
Sealed Burners	•	•
Flame Recognition	•	•
Automatic Re-ignition	•	•
Low-Profile Continuous Grates	•	•
Seamless Design	•	•
TECHNICAL DATA		
Voltage	220-240	220-240
Electrical Load (amp)	0.2	0.3

50/60

Frequency (Hz)







		[
MODEL	ICBCI152TF/S ◆	ICBSM15TF/S ◆	ICBGM15TF/S ◆
Description	Transitional Induction Cooktop	Transitional Transi Steamer Gr	
Models with this symbol (♠) can be pa	ired with cooktops and modules.		
MODEL / INSTALLATION OPTIONS			
Standard	•	•	•
Flush			
Side-by-Side Installation	•	•	•
Installation with Downdraft	•		
PRICES			
Base Price	€2.040	€3.700	€2.690
CDECIFICATIONS			
SPECIFICATIONS Width (mm)	381	381	381
Height (mm)	51	343	152
Depth (mm)	533	533	533
Temperature Zones	2	-30	2
Element – Large (W)	-	2700	2800
Element – Medium (W)	2300 / 3700 boost	2,700	2000
Element – Small (W)	1400		
Lowest Temperature (°C)		60	
Highest Temperature (°C)		100	
Maximum Power Output (W)	3700		
FEATURES			
Digital Touch Controls	•	•	•
Countdown Timer	•	•	•
Hot Surface Indicator	•		
Boil Dry	•	•	
Universal Off	•	•	•
Illuminated Controls	•	•	•
Graduated Control Lighting		•	•
Safety Lock	•	•	•
True Simmer Setting	•		
Melt Setting	•		
Seamless Design	•	•	•
Stainless Steel Frame	•	•	•
Steamer Basket		•	
Sous Vide Basket		•	
Drain Type		Electronic	
TECHNICAL DATA			
Voltage	220-240	220-240	220-240
Electrical Load (kW)	3.7	2.2-2.7	2.4-2.8
3-Phase (kW)	3.7		
Frequency (Hz)	50/60	50/60	50/60



3.7

50/60

3.7

50/60











						AT 15 17.2
MODEL	ICBCI243TF/S ◆	ICBCI243C/B	ICBCI304TF/S ◆	ICBCI304C/B	ICBCI365TF/S ◆	ICBCI365C/B
Description	Transitional Induction Cooktop	Contemporary Induction Cooktop	Transitional Induction Cooktop	Contemporary Induction Cooktop	Transitional Induction Cooktop	Contemporary Induction Cooktop
Models with this symbol (♠) can be pa						
MODEL / INSTALLATION OPTIONS						
Standard	•		•		•	
Flush		•		•		•
Side-by-Side Installation	•		•		•	
Installation with Downdraft	•	•	•	•	•	•
PRICES						
Base Price	€2.550	€2.150	€3.320	€2.820	€3.930	€3.490
SPECIFICATIONS						
Width (mm)	600	600	762	762	914	914
Height (mm)	51	64	51	64	51	64
Depth (mm)	533	533	533	533	533	533
Temperature Zones	4	4	5	5	10	10
Element – Large (W)	2600 / 3700 boost					
Element – Medium (W)	(1) 2100 (1) 2100 / 3700 boost	(2) 2100 (2) 2100 / 3700 boost	(2) 2100 (2) 2100 / 3700 boost			
Element – Small (W)			1400	1400		
Maximum Power Output (W)	6850	6850	7400	7400	11,100	11,100
FEATURES						
Digital Touch Controls	•	•	•	•	•	•
Countdown Timer	•	•	•	•	•	•
Hot Surface Indicator	•	•	•	•	•	•
Boil Dry	•	•	•	•	•	•
Universal Off	•	•	•	•	•	•
Illuminated Controls	•	•	•	•	•	•
Safety Lock	•	•	•	•	•	•
True Simmer Setting	•	•	•	•	•	•
Melt Setting	•	•	•	•	•	•
Seamless Design	•	•	•	•	•	•
Stainless Steel Frame	•		•		•	
TECHNICAL DATA						
Voltage	220-240	220-240	220-240	220-240	220-240	220-240
Electrical Load (kW)	6.8	6.8	7.4	7.4	11.1	11.1

3.7

50/60

3.7

50/60

3.7

50/60

3.7

50/60

3-Phase (kW)

Frequency (Hz)









MODEL Description MODEL / INSTALLATION OPTIONS Standard Flush Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm) Burner – Large (kW)	ICBCG304T/S Transitional Gas Cooktop	ICBCG365T/S Transitional Gas Cooktop	ICBCG304P/S Professional Gas Cooktop	ICBCG365P/S Professional
Description MODEL / INSTALLATION OPTIONS Standard Flush Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)	Transitional	Transitional	Professional	
MODEL / INSTALLATION OPTIONS Standard Flush Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)				
Standard Flush Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)				Gas Cooktop
Flush Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)				
Side-by-Side Installation Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)	•	•	•	•
Installation with Downdraft PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)				
PRICES Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)	•	•	•	•
Natural Gas Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)	•	•	•	•
Liquid Propane SPECIFICATIONS Width (mm) Height (mm) Depth (mm)				
SPECIFICATIONS Width (mm) Height (mm) Depth (mm)	€2.930	€3.210	€2.930	€3.210
Width (mm) Height (mm) Depth (mm)	€2.930	€3.210	€2.930	€3.210
Height (mm) Depth (mm)				
Depth (mm)	762	914	762	914
	102	102	102	102
Burner – Large (kW)	533	533	533	533
Burner Large (KVV)	5.3	5.3	5.3	5.3
Burner – Medium (kW)	3.5	3.5	3.5	3.5
Burner – Small (kW)	(2) 2.7	(3) 2.7	(2) 2.7	(3) 2.7
FEATURES				
Illuminated Controls	•	•		
Choice of Knob Color			•	•
True Simmer Setting	•	•	•	•
Individual Spark Ignition	•	•	•	•
Sealed Burners	•	•	•	•
Flame Recognition	•	•	•	•
Automatic Re-ignition	•	•	•	•
Low-Profile Continuous Grates	•	•	•	•
Seamless Design	•	•	•	•
TECHNICAL DATA				
Voltage	220-240	220-240	220-240	220-240
Electrical Load (amp)	0.2	0.2	0.2	0.2
Frequency (Hz)	50/60	50/60	50/60	50/60

Prices Effective









MODEL	ICBEC2450TE/S	ICBEC3050TE/S	ICBEC3050PE/S	ICBEC3050TM/S
Description	E Series Transitional Coffee System	E Series Transitional Coffee System	E Series Professional Coffee System	M Series Transitional Coffee System
MODEL / INSTALLATION OPTIONS				
Standard	•	•	•	•
Flush Inset	•	•	•	•
PRICES				
Base Price	€5.580	€6.160	€6.160	€6.160
SPECIFICATIONS				
Width (mm)	597	759	759	759
Height (mm)	454	454	454	454
Depth (mm)	483	483	483	483
Door/Drawer Clearance (mm)	464	464	464	464
Water Tank Capacity (L)	2.5	2.5	2.5	2.5
FEATURES				
Black Glass				
Stainless Steel	•	•	•	•
Drink Modes	17	17	17	17
User Profiles	6	6	6	6
Display Language Selection	EN ES FR IT DE NL ZH			
Programmable Start/Stop	•	•	•	•
Hidden Controls				
TECHNICAL DATA				
Voltage	120	120	120	120
Electrical Load (kW)	1.35	1.35	1.35	1.35
Frequency (Hz)	50/60	50/60	50/60	50/60







		<u></u>	<u> </u>	
MODEL	ICBEC3050PM/S	ICBEC3050CM/B	ICBEC3050CM/S	ICBCW24/S
Description	M Series Professional Coffee System	M Series Contemporary Coffee System	M Series Contemporary Stainless Steel Coffee System	Cup Warming Drawer
MODEL / INSTALLATION OPTIONS				
Standard	•	•	•	•
Flush Inset	•	•	•	•
PRICES				
Base Price	€6.160	€6.160	€6.160	€1.530
SPECIFICATIONS				
Width (mm)	759	759	759	597
Height (mm)	454	454	454	140
Depth (mm)	483	483	483	533
Door/Drawer Clearance (mm)	464	464	464	483
Water Tank Capacity (L)	2.5	2.5	2.5	
FEATURES				
Black Glass		•		
Stainless Steel	•		•	•
Drink Modes	17	17	17	
User Profiles	6	6	6	
Display Language Selection	EN ES FR IT DE NL ZH	EN ES FR IT DE NL ZH	EN ES FR IT DE NL ZH	
Programmable Start/Stop	•	•	•	•
Hidden Controls				•
TECHNICAL DATA				
Voltage	120	120	120	220-240
Electrical Load (kW)	1.35	1.35	1.35	0.4
Frequency (Hz)	50/60	50/60	50/60	50/60

March 2023 17





MODEL	ICBIR30450/S/T	ICBIR36550/S/T
Description	Induction Range	Induction Range
MODEL / INSTALLATION OPTIONS		
Island Installation	•	•
PRICES		
Base Price	€11.120	€15.600
base Fince	C11.120	C13.000
SPECIFICATIONS		
Width (mm)	759	911
Height (mm)	902	902
Depth (mm)	718	718
Door Clearance (mm)	495	495
Temperature Zones	4	5
Burner - Large (W)	2600 with 3700 boost	2600 with 3700 boost
Burner - Medium (W)	(2) 2100 with 3700 boost	(4) 2100 with 3700 boost
Burner - Small (W)	1400 with 2200 boost	
Cooktop Max Power Output (W)	7400	11000
Overall Capacity (L)	144	178
Oven Usable Volume (L)	125	155
FEATURES		
Handle Type	Tubular	Tubular
Digital Touch Controls	•	•
Countdown Timer	•	•
Hot Surface Indicator		•
Boil Dry	•	
Universal Off	•	•
Illuminated Controls	•	•
Safety Lock	•	•
True Simmer Setting	•	•
Melt Setting		
Cooking Modes	11 •	11
Self-Cleaning (Pyrolytic)		
Temperature Range (°C) Interactive Color Touchscreen	30-290	30-290
	EN FR DE IT ES NL CN	EN FR DE IT ES NL CN
Display Language Selection Interior Oven Racks (per oven)	EN FR DE IT ES NL CN	EN FR DE IT ES NL CN
Temperature Probe	•	•
Hydraulic Door Hinge		
Multifunction Pan	1	1
TECHNICAL DATA		
Voltage	220-240, 380-415	220-240, 380-415
Electrical Load (amp)	50	60
3-Phase (amp)	19	33

50/60

50/60

Frequency (Hz)










MODEL	ICBDF30450/S/P	ICBDF36650/S/P	ICBDF36450G/S/P	ICBDF48850/S/P
Description	Dual Fuel Range	Dual Fuel Range	Dual Fuel Range	Dual Fuel Range
MODEL / INSTALLATION OPTIONS				
Island Installation	•	•	•	•
PRICES				
Natural Gas	€10.500	€14.510	€15.070	€19.440
Liquid Propane	€10.500	€14.510	€15.070	€19.440
SPECIFICATIONS				
Width (mm)	759	911	911	1216
Height (mm)	927	927	927	927
Depth (mm)	749	749	749	749
Door Clearance (mm)	495	495	495	495
Burner – Large (kW)	5.3	5.3	5.3	5.3
Burner – Medium (kW)	(2) 4.5	(4) 4.5	(2) 4.5	(6) 4.5
Burner – Small (kW)	2.7	2.7	2.7	2.7
Infrared Grill (Charbroiler) (kW)	L. ,	L. ,	L. ,	L. ,
Infrared Gritt (Charbrotter) (kW)			4.5	
Overall Capacity (L)	144	178	178	144 / 76*
Oven Usable Volume (L)	125	155	155	125 / 65*
Over Osable volume (L)	123	133	133	123 / 03
FEATURES				
Handle Type	Pro	Pro	Pro	Pro
Hidden Control Panel	•	•	•	•
Interactive Color Touchscreen	•	•	•	•
Display Language Selection	EN FR DE IT ES NL CN			
Cooking Modes	11	11	11	11 / 10*
Self-Cleaning (Pyrolytic)	•	•	•	•
Temperature Range (°C)	30-290	30-290	30-290	30-290
Choice of Knob Color	•	•	•	•
Interior Oven Racks (per oven)	3	3	3	3
Temperature Probe	•	•	•	•
Hydraulic Door Hinge	•	•	•	•
Multifunction Pan	1	1	1	1
Dual-Stacked, Sealed Burners	•	•	•	•
True Simmer Setting	•	•	•	•
Individual Spark Ignition	•	•	•	•
Flame Recognition	•	•	•	•
Automatic Re-Ignition	•	•	•	•
Low-Profile Continuous Grates	•	•	•	•
Steel Grill / Teppanyaki Cover			•	
Island Trim	•	•	•	•
TECHNICAL DATA	220-240, 380-415	220-240, 380-415	220-240, 380-415	220-240, 380-415
Voltage				
Electrical Load (amp)	19	19	19	35
3-Phase (amp)	18	18	18	18
Frequency (Hz)	50/60	50/60	50/60	50/60

*Oven 2.

March 2023 19



*Oven 2.













MODEL	ICBSRT364G	ICBSRT362W	ICBSRT486G	ICBSRT484CG	ICBSRT484W
Description	Sealed Rangetop				
MODEL / INSTALLATION OPTIONS					
Island Installation	•	•	•	•	•
Installation with Downdraft	•				
PRICES					
Natural Gas	€6.530	€7.110	€7.710	€8.020	€8.180
Liquid Propane	€6.530	€7.110	€7.710	€8.020	€8.180
SPECIFICATIONS					
Width (mm)	911	911	1216	1216	1216
Height (mm)	216	254	216	216	254
Depth (mm)	724	724	724	724	724
Burner – Large (kW)	(3) 4.6	4.6	(5) 4.6	(3) 4.6	(3) 4.6
Burner – Small (kW)	2.8	2.8	2.8	2.8	2.8
Infrared Grill (Charbroiler) (kW)				5.8 / 5.3*	
Infrared Teppanyaki (Griddle) (kW)	5.5 / 4.7*		5.5 / 4.7*	5.5 / 4.7*	
Wok Burner (kW)		10.3			10.3
FEATURES					
Choice of Knob Color	•	•	•	•	•
Dual-Stacked, Sealed Burners	•	•	•	•	•
True Simmer Setting	•	•	•	•	•
Individual Spark Ignition	•	•	•	•	•
Flame Recognition	•	•	•	•	•
Automatic Re-ignition	•	•	•	•	•
Low-Profile Continuous Grates	•	•	•	•	•
Steel Grill / Teppanyaki Cover	•		•	•	
Island Trim	•	•	•	•	•
TECHNICAL DATA					
Voltage	220-240	220-240	220-240	220-240	220-240
Electrical Load (amp)	0.17	0.17	0.17	0.17	0.17
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60

^{*}LP gas.

Prices Effective







					623		
MODEL	ICBPW302718	ICBPW362418	ICBPW362718	ICBPW422718	ICBPW482418	ICBPW482718	ICBPW602718
Description	Wall Hood						
MODEL / INSTALLATION OPTIONS		Waki 1100a	Waki Hood	Waki 1100a			
Wall Installation	•	•	•	•	•	•	•
Island Installation							
Usable with all Wolf Products	•	•	•	•	•	•	•
Recirculation	•	•	•				
Internal Blower	•	•	•	•	•	•	•
Remote Blower	•	•	•	•	•	•	•
PRICES							
Base Price (excludes blower)	€3.050	€3.030	€3.150	€3.120	€3.120	€3.260	€3.480
SPECIFICATIONS							
Width (mm)	762	914	914	1067	1219	1219	1524
Body Height (mm)	457	457	457	457	457	457	457
Depth (mm)	686	610	686	686	610	686	686
Round Duct Diameter (mm)	254	254	254	254	254	254	254
Discharge	Vertical, Back						
FEATURES							
Recessed Controls	•	•	•	•	•	•	•
Heat Sentry	•	•	•	•	•	•	•
Halogen Lighting	•	•	•	•	•	•	•
Filter Clean Indicator	•	•	•	•	•	•	•
Delayed Off Function	•	•	•	•	•	•	•
Dishwasher Safe Mesh Filters	•	•	•	•	•	•	•
TECHNICAL DATA							
Voltage	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Electrical Load (kW)	1.15	0.5	1.2	1.15	0.5	1.37	1.37
Frequency (Hz)	50/60	50/60	50/60	50/60	50/60	50/60	50/60

March 2023 25





76 cm M Series Transitional Single Oven

MODEL	PRICE
ICBSO3050TM/S/T	€7.230
SPECIFICATIONS	
Overall Dimensions	759 mm W x 724 mm H x 584 mm D
Shipping Weight	124 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438
Dual Installation Kit*	826001	N/C

 $[\]star Dual$ installation kit required for side by side installations.





76 cm M Series Transitional Double Oven

MODEL	PRICE
ICBDO3050TM/S/T	€11.100
SPECIFICATIONS	
Overall Dimensions	759 mm W x 1292 mm H x 584 mm D
Shipping Weight	211 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handles
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438





76 cm M Series Professional Single Oven


MODEL	PRICE
ICBSO3050PM/S/P	€7.610
SPECIFICATIONS	
Overall Dimensions	759 mm W x 724 mm H x 584 mm D
Shipping Weight	124 kg
FEATURES	

- Standard or flush inset installation
- Pro handle
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
Knobs		
Stainless Steel	823272	€116
Stainless Steel*	823275	N/C
Red	823273	€99
Black	823271	€99
Black*	823274	N/C
Brushed Brass	9056340	€116
Brushed Brass*	9056338	N/C
Brushed Gray	9056343	€116
Brushed Gray*	9056341	N/C
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438
Dual Installation Kit**	826001	N/C

^{*}Unit ships with red knobs. One set at no charge with product purchase.

^{**}Dual installation kit required for side by side installations.





76 cm M Series Professional Double Oven

MODEL	PRICE
ICBDO3050PM/S/P	€11.490
SPECIFICATIONS	
Overall Dimensions	759 mm W x 1292 mm H x 584 mm D
Shipping Weight	211 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Pro handles
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
Knobs**		
Stainless Steel	823272	€116
Stainless Steel*	823275	N/C
Red	823273	€99
Black	823271	€99
Black*	823274	N/C
Brushed Brass	9056340	€116
Brushed Brass*	9056338	N/C
Brushed Gray	9056343	€116
Brushed Gray*	9056341	N/C
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438

^{*}Unit ships with red knobs. One set at no charge with product purchase. Must order quantity two.

29

^{**}Must order quantity two.





76 cm M Series Contemporary Single Oven


MODEL	PRICE
ICBSO3050CM/B	€7.370
SPECIFICATIONS	
Overall Dimensions	759 mm W x 724 mm H x 584 mm D
Shipping Weight	124 kg

FEATURES

- Handleless black glass
- Standard or flush inset installation
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

DESCRIPTION	AULMADED	PRICE
DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438
Dual Installation Kit*	826001	N/C

^{*}Dual installation kit required for side by side installations.






76 cm M Series Contemporary Double Oven

MODEL	PRICE
ICBDO3050CM/B	€11.250
SPECIFICATIONS	
Overall Dimensions	759 mm W x 1292 mm H x 584 mm D
Shipping Weight	211 kg

FEATURES

- Handleless black glass
- Standard or flush inset installation
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe

€339
€190
€355
€149
€149
€132
€438
€438






76 cm M Series Contemporary Stainless Steel Single Oven

MODEL	PRICE
ICBSO3050CM/S	€7.380
SPECIFICATIONS	
Overall Dimensions	759 mm W x 724 mm H x 584 mm D
Shipping Weight	124 kg

- Handleless stainless steel
- Standard or flush inset installation
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438
Dual Installation Kit*	826001	N/C

^{*}Dual installation kit required for side by side installations.





76 cm M Series Contemporary Stainless Steel Double Oven

MODEL	PRICE
ICBDO3050CM/S	€11.260
SPECIFICATIONS	
Overall Dimensions	759 mm W x 1292 mm H x 584 mm D
Shipping Weight	211 kg

FEATURES

- Handleless stainless steel
- Standard or flush inset installation
- Dual convection
- 10 cooking modes
- Interactive color touchscreen
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Bake Stone Kit	823244	€438






60 cm E Series Transitional Single Oven

MODEL	PRICE
ICBSO2450TE/S/T	€5.330
SPECIFICATIONS	
Overall Dimensions	597 mm W x 597 mm H x 572 mm D
Shipping Weight	51 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Single convection with 12 cooking modes including Gourmet and Gourmet+
- Large full-color touchscreen
- 3 full-extension rack positions and one standard position
- 2 standard racks, 1 grill pan with rack
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Solid Pan		
324 x 38 x 178 mm	820016	€248
451 x 32 x 381 mm	830387	€339
Wire Oven Rack	830393	€116
Grill Rack	830389	€149
Porcelain Grill Pan	830390	€248
Temperature Probe	830400	€223
Handle		
Pro Handle	826668	€355





759 mm



76 cm E Series Transitional Single Oven

MODEL	PRICE
ICBSO3050TE/S/T	€6.570

SPECIFICATIONS

Overall Dimensions	759 mm W x 723 mm H x 584 mm D
Shipping Weight	117 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Dual convection with 10 cooking modes including Gourmet
- Large full-color touchscreen and stainless touch controls
- 1 standard and 2 full-extension ball bearing racks
- Temperature probe
- Multifunction pan and rack

76 cm E Series Professional Single Oven

MODEL	PRICE
ICBSO3050PE/S/P	€6.570

SPECIFICATIONS

Overall Dimensions	759 mm W x 723 mm H x 584 mm D
Shipping Weight	117 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Pro handle
- Dual convection with 10 cooking modes including Gourmet
- Large full-color touchscreen and stainless touch controls
- 1 standard and 2 full-extension ball bearing racks
- Temperature probe
- Multifunction pan and rack

Accessories

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	829241	€339
Standard Oven Rack	829240	€174
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Multifunction Pan/Rack	829265	€438
Temperature Probe	823261	€149
Grill Pan	819377	€132
Bake Stone Kit	9016697	€438

DESCRIPTION	NUMBER	PRICE
Oven Racks		
Full-Ext Ball Bearing Rack	829241	€339
Standard Oven Rack	829240	€174
Dehydration Rack Set (2)	823247	€355
762 mm Baking Sheet	823269	€149
Multifunction Pan/Rack	829265	€438
Temperature Probe	823261	€149
Grill Pan	819377	€132
Bake Stone Kit	9016697	€438









76 cm M Series Transitional Convection Steam Oven

MODEL	COST
ICBCSO30TM/S/TH	€7.230

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shipping Weight	36 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Convection with 13 cooking modes
- 2 wire oven racks
- 1 perforated and 1 solid 451 x 25 x 381 mm pan
- Temperature probe

76 cm M Series Professional Convection Steam Oven

COST
€7.230

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shipping Weight	36 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Pro handle
- Convection with 13 cooking modes
- 2 wire oven racks
- 1 perforated and 1 solid 451 x 25 x 381 mm pan
- Temperature probe

Accessories

DESCRIPTION	NUMBER	COST
Perforated Pan		
324 x 38 x 178 mm	819999	€306
324 x 64 x 178 mm	820018	€355
451 x 32 x 381 mm	821212	€405
Solid Pan		
324 x 38 x 178 mm	820016	€248
324 x 32 x 356 mm	827037	€306
451 x 32 x 381 mm	821210	€339
Porcelain Baking Sheet	821228	€248
Oven Rack	821218	€306
Full-Extension Rack Guides	821718	€860
Descaling Solution (10)	823403	€711

DESCRIPTION	NUMBER	COST
Perforated Pan		
324 x 38 x 178 mm	819999	€306
324 x 64 x 178 mm	820018	€355
451 x 32 x 381 mm	821212	€405
Solid Pan		
324 x 38 x 178 mm	820016	€248
324 x 32 x 356 mm	827037	€306
451 x 32 x 381 mm	821210	€339
Porcelain Baking Sheet	821228	€248
Oven Rack	821218	€306
Full-Extension Rack Guides	821718	€860
Descaling Solution (10)	823403	€711





76 cm M Series Contemporary Convection Steam Oven with Retractable Handle

MODEL	COST
ICBCSO30CM/B	€7.400

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shipping Weight	80 lbs (36 kg)

FEATURES

- Black glass
- Standard or flush inset installation
- Retractable handle
- Convection with 13 cooking modes
- 2 wire oven racks
- 1 perforated and 1 solid 451 x 25 x 381 mm pan
- Temperature probe

Accessories

DESCRIPTION	NUMBER	COST
Perforated Pan		
324 x 38 x 178 mm	819999	€306
324 x 64 x 178 mm	820018	€355
451 x 32 x 381 mm	821212	€405
Solid Pan		
324 x 38 x 178 mm	820016	€248
324 x 32 x 356 mm	827037	€306
451 x 32 x 381 mm	821210	€339
Porcelain Baking Sheet	821228	€248
Oven Rack	821218	€306
Full-Extension Rack Guides	821718	€860
Descaling Solution (10)	823403	€711



60 cm E Series Transitional Convection Steam Oven

MODEL	PRICE
ICBCSO2450TE/S/T	€7.730
ICBCSOP2450TE/S/T (Plumbed)	€8.520

SPECIFICATIONS

Overall Dimensions	597 mm W x 454 mm H x 572 mm D
Shipping Weight	44 kg

FEATURES

- Plumbed and non-plumbed option
- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Single convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
451 x 32 x 381 mm	830384	€405
Solid Pan		
324 x 38 x 178 mm	820016	€248
451 x 32 x 381 mm	830387	€339
Wire Oven Rack	830394	€306
Grill Rack	830389	€149
Porcelain Grill Pan	830390	€248
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711
Handle		
Pro Handle	826668	€355

37



60 cm M Series Contemporary Stainless Steel Handleless Convection Steam Oven

MODEL	PRICE
ICBCSO2450CM/S	€8.390

SPECIFICATIONS

Overall Dimensions	597 mm W x 454 mm H x 572 mm D
Shipping Weight	45 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Contemporary, handleless design
- Single convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
451 x 32 x 381 mm	830384	€405
Solid Pan		
324 x 38 x 178 mm	820016	€248
451 x 32 x 381 mm	830387	€339
Wire Oven Rack	830394	€306
Grill Rack	830389	€149
Porcelain Grill Pan	830390	€248
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm E Series Transitional Convection Steam Oven

MODEL	PRICE
ICBCSO3050TE/S/T	€9.840


SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	58 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- 19 mm tubular handle
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm E Series Professional Convection Steam Oven

MODEL	PRICE
ICBCSO3050PE/S/P	€9.840

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	59 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Pro handle
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan,
- 1 grill pan with rackTemperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm M Series Transitional Convection Steam Oven

MODEL	PRICE
ICBCSO3050TM/S/T	€9.840
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 572 mm D

FEATURES

- Stainless steel

Shipping Weight

- Standard or flush inset installation
- 19 mm tubular handle
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711

57 kg



76 cm M Series Professional Convection Steam Oven

MODEL	PRICE
ICBCSO3050PM/S/P	€9.840

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	59 kg

FEATURES

- Stainless steel
- Standard or flush inset installation
- Pro handle
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm M Series Contemporary Convection Steam Oven

MODEL	PRICE
ICBCSO3050CM/B/T	€9.840

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	57 kg

FEATURES

- Black glass
- Standard or flush inset installation
- 19 mm tubular handle
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm M Series Contemporary Handleless Convection Steam Oven

MODEL	PRICE
ICBCSO3050CM/B	€10.500

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	56 kg

FEATURES

- Black glass
- Standard or flush inset installation
- Contemporary, handleless design
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan,
- 1 grill pan with rackTemperature probe

Accessories

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711



76 cm M Series Contemporary Stainless Steel Handleless Convection Steam Oven


MODEL	PRICE
ICBCSO3050CM/S	€10.500
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 572 mm D
Shipping Weight	57 ka

FEATURES

- Stainless steel
- Standard or flush inset installation
- Contemporary, handleless design
- Dual convection with 11 standard cooking modes, plus Gourmet and Gourmet+
- Large full-color touchscreen
- Save up to 50 favorite recipe presets
- 3 full-extension rack positions and one standard position
- 1 standard rack, 1 perforated pan, 1 solid pan, 1 grill pan with rack
- Temperature probe

DESCRIPTION	NUMBER	PRICE
Perforated Pan		
324 x 38 x 178 mm	819999	€306
629 x 35 x 368 mm	830385	€496
Solid Pan		
324 x 38 x 178 mm	820016	€248
629 x 35 x 368 mm	830388	€405
Wire Oven Rack	830395	€372
Grill Rack	830391	€207
Porcelain Grill Pan	830392	€355
Temperature Probe	830400	€223
Descaling Solution (10)	823403	€711





60 cm E Series Transitional Speed Oven

MODEL	PRICE
ICBSPO24TE/S/TH	€3.740

SPECIFICATIONS

Overall Dimensions	597 mm W x 454 mm H x 546 mm D
Shipping Weight	48 kg

FEATURES

- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection
- Standard or flush inset installation
- Designed to match Wolf ovens


76 cm E Series Transitional Speed Oven


MODEL	PRICE
ICBSPO30TE/S/TH	€4.020
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shinning Weight	48 ka

FEATURES

- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection
- Standard or flush inset installation
- Designed to match Wolf ovens

DESCRIPTION	NUMBER	PRICE
Handle		
Pro Handle	826668	€355
Edge Trim Kit		
610 mm Black	827256	€116





76 cm E Series Professional Speed Oven

PRICE
€4.220

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shipping Weight	48 kg


FEATURES


- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection
- Standard or flush inset installation
- Designed to match Wolf ovens

76 cm M Series Transitional Speed Oven

MODEL	PRICE
ICBSPO30TM/S/TH	€4.070
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shinning Weight	48 kg

- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection
- Standard or flush inset installation
- Designed to match Wolf ovens





76 cm M Series Professional Speed Oven

PRICE
€4.210

SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 546 mm D
Shipping Weight	48 kg

FEATURES

- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection
- Standard or flush inset installation
- Designed to match Wolf ovens

76 cm M Series Contemporary Speed Oven

MODEL	PRICE
ICBSPO30CM/B/TH	€3.910
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 546 mm D


FEATURES

- Stainless steel interior
- Dual grill 750 W (1500 W total)
- LED lit interior
- Convection

Shipping Weight

- Standard or flush inset installation
- Designed to match Wolf ovens

48 kg





76 cm Indoor/Outdoor Warming Drawer


MODEL	PRICE
ICBWWD30O	€3.340
SPECIFICATIONS	
Overall Dimensions	759 mm W x 264 mm H x 578 mm D
Power	850 W
Shipping Weight	45 kg

FEATURES

- Stainless steel
- Stainless steel drawer front required
- Drawer fronts match outdoor grills

DESCRIPTION	NUMBER	PRICE
M Series Drawer Fronts		
762 mm Transitional	823278	€826
762 mm Professional	823279	€826
762 mm Contemporary Black	823277	€826
762 mm Contemporary Stainless	826754	€826
M Series Handles		
Transitional	826011	€355
Professional	826012	€355
Contemporary	826544	€355
E Series Drawer Fronts		
762 mm Transitional	829839	€826
762 mm Professional	829837	€826
E Series Handles		
Transitional	829298	€355
Professional	829299	€355
Integrated Drawer Front		
Integrated Drawer Front	808152	€149
51 mm Thick Pro Drawer	Fronts*	
762 mm Professional	812601	€826
914 mm Professional	812602	€826
6-pc Container Set	808529	€785

 $[\]star 51$ mm thick panel to match depth of sealed burner rangetop and outdoor grill.





60 cm Vacuum Seal Drawer

MODEL	PRICE
ICBVS24	€4.740

SPECIFICATIONS

Overall Dimensions	597 mm W x 140 mm H x 533 mm D
Shipping Weight	33 kg

FEATURES

- Chamber-style vacuum
- Handleless design
- Hidden controls
- 3 vacuum settings
- 3 heat-sealing levels
- 50 small and 50 large bags, wine stopper and accessory hose included
- Drawer fronts to match Wolf ovens (drawer front required)

DESCRIPTION	NUMBER	PRICE
610 mm Drawer Fronts		
Contemporary Black Glass	830000	€240
Stainless Steel	830002	€240
762 mm Drawer Fronts		
Contemporary Black Glass	830001	€322
Stainless Steel	830003	€322
Integrated Drawer Front		
Front Panel Adapter	828801	€99
Bags		
50 Small (180 x 280 mm)	828071	€66
50 Large (240 x 350 mm)	828072	€83
Wine Stopper (Set of 3)	827785	€149





38 cm Transitional Gas Cooktop

MODEL	PRICE
ICBCG152TF/S ◆	€2.240
ICBCG152TF/S/LP ♦	€2.240

Models with this symbol (•) can be paired with cooktops and modules.

SPECIFICATIONS

Overall Dimensions	381 mm W x 102 mm H x 533 mm D
Burner Rating	3.5 kW and 2.7 kW
Shipping Weight	14 kg

FEATURES

- Brushed stainless steel trim
- Frame design pairs with multiple cooktops or modules
- Dual-stacked, sealed burners
- Flame recognition and automatic reignition

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Install	s* 827132	€66

^{*}Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.



38 cm Transitional Multifunction Cooktop Module

MODEL	PRICE
ICBMM15TF/S ♦	€2.380
ICBMM15TF/S/LP ◆	€2.380

Models with this symbol (•) can be paired with cooktops and modules.

SPECIFICATIONS

Overall Dimensions	381 mm W x 127 mm H x 533 mm D
Burner Rating	8.0 kW
Shipping Weight	14 kg

FEATURES

- Brushed stainless steel trim
- Frame design pairs with multiple cooktops or modules
- Hi-power sealed burner
- Flame recognition and automatic reignition
- Wok grate and continuous grate included

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Installs*	827132	€66

^{*}Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.

47







38 cm Transitional Induction Cooktop

MODEL	PRICE
ICBCI152TF/S ♦	€2.040

Models with this symbol (•) can be paired with cooktops and modules.

SPECIFICATIONS

Overall Dimensions	381 mm W x 51 mm H x 533 mm D	
Element Diameter	Max Element Power	
216 mm	2300 W with 3700 W boost	
152 mm	1400 W	
Max Power Output	3700 W	
Shipping Weight	14 kg	

FEATURES

- Brushed stainless steel trim
- Frame design pairs with multiple cooktops or modules
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Installs*	827132	€66

*Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.

38 cm Transitional Steamer Module

MODEL	PRICE
ICBSM15TF/S ♦	€3.700

Models with this symbol (\(\infty \)) can be paired with cooktops and modules.

SPECIFICATIONS

Overall Dimensions	381 mm W x 343 mm H x 533 mm D	
Tub Capacity	4.7 L	
Max Element Power	2700 W	
Shipping Weight	18 kg	


FEATURES

- Stainless steel
- Frame design pairs with multiple cooktops or modules
- Solid and perforated pans included
- Glass top sealed lid
- Cook timer
- Auto drain
- Sous vide capability

Accessories

DESCRIPTION Sous Vide Basket	NUMBER	PRICE €207
	827691	
Filler Strip*	827131	€66

*Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.





23 kg

38 cm Transitional Grill Module

MODEL	PRICE
ICBGM15TF/S ◆	€2.690
Models with this symbol (can be paired with cooktops and modules.
SPECIFICATIONS	
Overall Dimensions	381 mm W x 127 mm H x 533 mm D
Max Element Power	2800 W

FEATURES

Shipping Weight


- Brushed stainless steel trim
- Frame design pairs with multiple cooktops or modules
- Two independently-controlled 1400-watt heating elements
- Timer
- Dishwasher safe grate
- Easy to clean

Accessories

DESCRIPTION	NUMBER	PRICE
Briquette Replacement Kit	827720	€116
Filler Strip*	827131	€66

^{*}Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.

49



60 cm Transitional Induction Cooktop

MODEL	PRICE
ICBCI243TF/S ♦	€2.550

Models with this symbol (♠) can be paired with module cooktops.

SPECIFICATIONS

Overall Dimensions	600 mm W x 51 mm H x 533 mm D
Element Diameter	Max Element Power
279 mm	2600 W with 3700 W boost
(1) 203 mm	2100 W
(1) 203 mm	2100 W with 3700 W boost
Max Power Output	6850 W
Shipping Weight	19 kg


FEATURES

- Brushed stainless steel trim
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat
- Frame design pairs with module cooktops

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Installs*	827132	€66

^{*}Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.



76 cm Transitional Induction Cooktop

MODEL	PRICE
ICBCI304TF/S ◆	€3.320

Models with this symbol () can be paired with module cooktops.

SPECIFICATIONS

Overall Dimensions	762 mm W x 51 mm H x 533 mm D
Element Diameter	Max Element Power
279 mm	2600 W with 3700 W boost
(1) 203 mm	2100 W
(1) 203 mm	2100 W with 3700 W boost
152 mm	1400 W
Max Power Output	7400 W
Shipping Weight	22 kg


FEATURES

- Brushed stainless steel trim
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat
- Model ICBCI304TF/S frame design pairs with module cooktops

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Installs*	827132	€66

*Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.



91 cm Transitional Induction Cooktop

MODEL	PRICE
ICBCI365TF/S ♦	€3.930

Models with this symbol (♠) can be paired with module cooktops.

SPECIFICATIONS

Overall Dimensions	914 mm W x 51 mm H x 533 mm D
Element Diameter	Max Element Power
279 mm	2600 W with 3700 W boost
(2) 203 mm	2100 W
(2) 203 mm	2100 W with 3700 W boost
Max Power Output	11,100 W
Shipping Weight	32 kg


FEATURES

- Brushed stainless steel trim
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat
- Model ICBCI365TF/S frame design pairs with module cooktops

Accessories

DESCRIPTION	NUMBER	PRICE
Filler Strip*	827131	€66
Filler Strip, Downdraft Installs*	827132	€66

^{*}Filler strip(s) can be used when pairing multiple modules or cooktops together for a cleaner aesthetic – not required.




60 cm Contemporary Induction Cooktop


MODEL	PRICE
ICBCI243C/B	€2.150

SPECIFICATIONS

Overall Dimensions	600 mm W x 64 mm H x 533 mm D
Element Diameter	Max Element Power
279 mm	2600 W with 3700 W boost
(1) 203 mm	2100 W
(1) 203 mm	2100 W with 3700 W boost
Max Power Output	6850 W
Shipping Weight	22 kg

- Unframed edge for flush installation
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat





76 cm Contemporary Induction Cooktop

MODEL	PRICE
ICBCI304C/B	€2.820

SPECIFICATIONS

Overall Dimensions	762 mm W x 64 mm H x 533 mm D
Element Diameter	Max Element Power
279 mm	2600 W with 3700 W boost
(1) 203 mm	2100 W
(1) 203 mm	2100 W with 3700 W boost
152 mm	1400 W
Max Power Output	7400 W
Shipping Weight	22 kg

FEATURES

- Unframed edge for flush installation
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat


91 cm Contemporary Induction Cooktop

MODEL	PRICE
ICBCI365C/B	€3.490


SPECIFICATIONS

Overall Dimensions	914 mm W x 64 mm H x 533 mm D
Element Diameter	Max Element Power
279)	2600 W with 3700 W boost
(2) 203 mm	2100 W
(2) 203 mm	2100 W with 3700 W boost
Max Power Output	11,100 W
Shipping Weight	32 kg

- Unframed edge for flush installation
- Black glass ceramic surface
- Efficient heat transfer technology
- True simmer and melt settings
- Boost mode for high-heat









76 cm Transitional Gas Cooktop

MODEL	PRICE
ICBCG304T/S	€2.930
ICBCG304T/S/LP	€2.930

SPECIFICATIONS

Overall Dimensions	762 mm W x 102 mm H x 533 mm D
Burner Rating	5.3 kW, 3.5 kW and (2) 2.7 kW
Shipping Weight	23 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners with true simmer
- Flame recognition and automatic reignition

91 cm Transitional Gas Cooktop

MODEL	PRICE
ICBCG365T/S	€3.210
ICBCG365T/S/LP	€3.210

SPECIFICATIONS

Overall Dimensions	914 mm W x 102 mm H x 533 mm D
Burner Rating	5.3 kW, 3.5 kW and (3) 2.7 kW
Shipping Weight	30 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners with true simmer
- Flame recognition and automatic reignition


Accessories

DESCRIPTION	NUMBER	PRICE
2-Burner Wok Grate	827301	€149
Transitional Styled 2-Burner Wok Grate	824484	€149
Transitional Styled Grates	827597	€339
Natural Gas High Altitude Kit	* 824490	€132


^{*}For installations above 3018 m.

DESCRIPTION	NUMBER	PRICE
2-Burner Wok Grate	827301	€149
Transitional Styled 2-Burner Wok Grate	824484	€149
Transitional Styled Grates	827596	€438
Natural Gas High Altitude Kit*	824490	€132

^{*}For installations above 3018 m.









76 cm Professional Gas Cooktop

MODEL	PRICE
ICBCG304P/S	€2.930
ICBCG304P/S/LP	€2.930

SPECIFICATIONS

Overall Dimensions	762 mm W x 102 mm H x 533 mm D
Burner Rating	5.3 kW, 3.5 kW and (2) 2.7 kW
Shipping Weight	23 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners with true simmer
- Flame recognition and automatic reignition

91 cm Professional Gas Cooktop

MODEL	PRICE
ICBCG365P/S	€3.210
ICBCG365P/S/LP	€3.210

SPECIFICATIONS

Overall Dimensions	914 mm W x 102 mm H x 533 mm D
Burner Rating	5.3 kW, 3.5 kW and (3) 2.7 kW
Shipping Weight	30 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners with true simmer
- Flame recognition and automatic reignition

Accessories


DESCRIPTION	NUMBER	PRICE
2-Burner Wok Grate	827301	€149
Transitional Styled 2-Burner Wok Grate	824484	€149
Transitional Styled Grates	827597	€339
Knobs		
Stainless Steel	824482	€149
Stainless Steel*	824488	N/C
Red	824977	€149
Black	824480	€149
Black*	824486	N/C
Brushed Brass	9056357	€149
Brushed Brass*	9056356	N/C
Brushed Gray	9056359	€149
Brushed Gray*	9056358	N/C
Natural Gas High Altitude Kit**	824490	€132

^{*}Unit ships with red knobs. One set at no charge with product purchase. **For installations above 3018 m.

DESCRIPTION	NUMBER	PRICE
2-Burner Wok Grate	827301	€149
Transitional Styled 2-Burner Wok Grate	824484	€149
Transitional Styled Grates	827596	€438
Knobs		
Stainless Steel	824483	€149
Stainless Steel*	824489	N/C
Red	824978	€149
Black	824481	€149
Black*	824487	N/C
Brushed Brass	9056366	€149
Brushed Brass*	9056365	N/C
Brushed Gray	9056369	€149
Brushed Gray*	9056368	N/C
Natural Gas High Altitude Kit*	* 824490	€132

^{*}Unit ships with red knobs. One set at no charge with product purchase.

**For installations above 3018 m.



60 cm E Series Transitional Coffee System

MODEL	PRICE
ICBEC2450TE/S	€5.580

SPECIFICATIONS


Overall Dimensions	597 mm W x 454 mm H x 483 mm D
Shipping Weight	30 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container
- Pairs seamlessly with a Wolf Cup Warming Drawer

Accessories

DESCRIPTION	NUMBER	PRICE
Insulated Milk Container	830403	€149
Charcoal Water Filter	830406	€66
Descaling Solution (2)	829244	€50
Care Kit (5)	830407	€488



76 cm E Series Transitional Coffee System

MODEL	PRICE
ICBEC3050TE/S	€6.160


SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 483 mm D
Shipping Weight	33 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

DESCRIPTION	NUMBER	PRICE
Insulated Milk Container	830403	€149
Charcoal Water Filter	830406	€66
Descaling Solution (2)	829244	€50
Care Kit (5)	830407	€488



76 cm E Series Professional Coffee System

MODEL	PRICE
ICBEC3050PE/S	€6.160

SPECIFICATIONS


Overall Dimensions	759 mm W x 454 mm H x 483 mm D
Shipping Weight	33 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

Accessories

PRICE
€149
€66
€50
€488



76 cm M Series Transitional Coffee System

MODEL	PRICE
ICBEC3050TM/S	€6.160


SPECIFICATIONS

Overall Dimensions	759 mm W x 454 mm H x 483 mm D
Shipping Weight	33 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

DESCRIPTION	NUMBER	PRICE
Insulated Milk Container	830403	€149
Charcoal Water Filter	830406	€66
Descaling Solution (2)	829244	€50
Care Kit (5)	830407	€488



76 cm M Series Professional Coffee System


MODEL	PRICE
ICBEC3050PM/S	€6.160
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 483 mm D
Shipping Weight	33 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

Accessories

NUMBER	PRICE
830403	€149
830406	€66
829244	€50
830407	€488
	830403 830406 829244




76 cm M Series Contemporary Coffee System

MODEL	PRICE	
ICBEC3050CM/B	€6.160	
SPECIFICATIONS		
Overall Dimensions	759 mm W x 454 mm H x 483 mm	
Shipping Weight	33 kg	

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

DESCRIPTION	NUMBER	PRICE
Insulated Milk Container	830403	€149
Charcoal Water Filter	830406	€66
Descaling Solution (2)	829244	€50
Care Kit (5)	830407	€488



76 cm M Series Contemporary Stainless Steel Coffee System


MODEL	PRICE
ICBEC3050CM/S	€6.160
SPECIFICATIONS	
Overall Dimensions	759 mm W x 454 mm H x 483 mm D
Shipping Weight	33 kg

FEATURES

- Standard or flush inset installation
- Full-color touchscreen
- Save favorites within six independent user profiles
- 17 drink mode selections
- Insulated milk container with froth regulator
- 355 ml whole bean capacity, or single serve pre-ground option
- 2.5 L water tank
- Height-adjustable dual dispensing coffee spout
- Rinse container

Accessories

DESCRIPTION	NUMBER	PRICE
Insulated Milk Container	830403	€149
Charcoal Water Filter	830406	€66
Descaling Solution (2)	829244	€50
Care Kit (5)	830407	€488






60 cm Cup Warming Drawer

MODEL	PRICE
ICBCW24/S Stainless Steel	€1.530

SPECIFICATIONS

Overall Dimensions	597 mm W x 140 mm H x 533 mm D
Shipping Weight	18 kg

- Hidden controls
- Standard or flush inset installation
- 420-watt heating element
- Temperature range 30°C to 80°C
- Automatic shut off
- Delayed start
- Full-extension drawer glides
- Removable drawer liner





76 cm Transitional Induction Range

MODEL	PRICE	
ICBIR30450/S/T	€11.120	
SPECIFICATIONS		
Overall Dimensions	759 mm W x 902 mm H x 718 mm D	
Element Diameter	Max Element Power	
279 mm	2600 W with 3700 W boost	
(2) 203 mm	2100 W with 3700 W boost	
152 mm	1400 W with 2200 W boost	
Cooktop Max Power Output	7400 W	
Shipping Weight	177 kg	

FEATURES

- Scratch-resistant, ceramic glass induction cooking surface
- Dual convection oven with 11 cooking modes including Gourmet
- Large full-color touch screen
- True simmer and melt settings
- Boost Mode delivers rapid heat for faster boil times
- Bridge function joins two induction zones
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

Accessories

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	9022633	€190


Oven Accessories

DESCRIPTION	NUMBER	PRICE
Full-Ext Ball-Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Dehydration Kit	9034725	€355
Bake Stone Kit	9016697	€438

Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cov	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022087	€50
76 mm Stainless Steel	9018542	€50
89 mm Stainless Steel	9022088	€50
102 mm Stainless Steel	9022089	€50
114 mm Stainless Steel	9022090	€50

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.





91 cm Transitional Induction Range

MODEL	PRICE
ICBIR36550/S/T	€15.600
SPECIFICATIONS	
Overall Dimensions	911 mm W x 902 mm H x 718 mm D
Element Diameter 279 mm (4) 203 mm	Max Element Power 2600 W with 3700 W boost 2100 W with 3700 W boost
Cooktop Max Power Output	11,100 W
Shipping Weight	202 kg

FEATURES

- Scratch-resistant, ceramic glass induction cooking surface
- Dual convection oven with 11 cooking modes including Gourmet
- Large full-color touch screen
- True simmer and melt settings
- Boost Mode delivers rapid heat for faster boil times
- Bridge function joins two induction zones
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe

Accessories

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	9022633	€190


Oven Accessories

NUMBER	PRICE
9022538	€339
9022540	€174
823269	€149
823261	€149
819377	€132
9029360	€438
9034726	€355
9016697	€438
	9022538 9022540 823269 823261 819377 9029360 9034726

Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cov	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022091	€66
76 mm Stainless Steel	9018543	€66
89 mm Stainless Steel	9022092	€66
102 mm Stainless Steel	9022093	€66
114 mm Stainless Steel	9022094	€66

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.





76 cm Dual Fuel Range

Model ICBDF30450

MODEL	PRICE
ICBDF30450/S/P	€10.500
ICBDF30450/S/P/LP	€10.500

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	759 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(2) 4.5 kW
	(1) 2.7 kW
Shipping Weight	187 kg

- Dual-stacked, sealed burners
- Dual convection oven with 11 cooking modes including Gourmet
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe
- Signature red knobs included



76 cm Dual Fuel Range Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	9016116	€438
254 mm Riser	9016117	€512
508 mm Riser with Shelf	9016118	€926

^{*}Minimum 127 mm riser required against combustible surfaces.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	9026005	€322
Stainless Steel Knobs*	9043135	€264
Red Knobs	9039705	€322
Black Knobs	9026002	€322
Black Knobs*	9043136	€264
Brushed Brass Knobs	9056316	€322
Brushed Brass Knobs*	9056314	€264
Brushed Gray Knobs	9056319	€322
Brushed Gray Knobs*	9056318	€264
Bezels**		
Brushed Brass Bezels	9056789	€149

^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	9042311	€207

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.

Oven Accessories


DESCRIPTION	NUMBER	PRICE
Full-Ext Ball-Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Dehydration Kit	9034725	€355
Bake Stone Kit	9016697	€438

Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cov	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022087	€50
76 mm Stainless Steel	9018542	€50
89 mm Stainless Steel	9022088	€50
102 mm Stainless Steel	9022089	€50
114 mm Stainless Steel	9022090	€50

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.

^{**}Brushed Brass Bezels must be installed by a Service provider.





91 cm Dual Fuel Ranges

Model ICBDF36450G

MODEL	PRICE
ICBDF36450G/S/P	€15.070
ICBDF36450G/S/P/LP	€15.070

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	911 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(2) 4.5 kW
	(1) 2.7 kW
Infrared Griddle/Teppanya	ki 4.5 kW
Shipping Weight	228 kg

FEATURES

- Dual-stacked, sealed burners
- Dual convection oven with 11 cooking modes including Gourmet
- Adjustable infrared griddle/teppanyaki
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe
- Signature red knobs included



Model ICBDF36650

MODEL	PRICE
ICBDF36650/S/P	€14.510
ICBDF36650/S/P/LP	€14.510

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	911 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(4) 4.5 kW
	(1) 2.7 kW
Shipping Weight	214 kg

FEATURES

- Dual-stacked, sealed burners
- Dual convection oven with 11 cooking modes including Gourmet
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks
- Multifunction pan
- Temperature probe
- Signature red knobs included



63

91 cm Dual Fuel Range Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	9016119	€471
254 mm Riser	9016120	€554
508 mm Riser with Shelf	9016121	€1.041

^{*}Minimum 254 mm riser required against combustible surfaces.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	9026006	€322
Stainless Steel Knobs*	9043137	€264
Red Knobs	9039706	€322
Black Knobs	9026003	€322
Black Knobs*	9043138	€264
Brushed Brass Knobs	9056322	€322
Brushed Brass Knobs*	9056321	€264
Brushed Gray Knobs	9056326	€322
Brushed Gray Knobs*	9056323	€264
Bezels**		
Brushed Brass Bezels	9056790	€190

^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	9042311	€207
Griddle/Teppanyaki Model		
279 mm Cutting Board	9022536	€240
Griddle/Teppanyaki Cleaning Kit	812278	€355
Cleaning Solution (4) 946 ml	812279	€223
Cleaning Pads (6) 10-packs	9021489	€248

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.

Oven Accessories


NUMBER	PRICE
9022538	€339
9022540	€174
823269	€149
823261	€149
819377	€132
9029360	€438
9034726	€355
9016697	€438
	9022538 9022540 823269 823261 819377 9029360 9034726

Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cov	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022091	€66
76 mm Stainless Steel	9018543	€66
89 mm Stainless Steel	9022092	€66
102 mm Stainless Steel	9022093	€66
114 mm Stainless Steel	9022094	€66

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.

^{**}Brushed Brass Bezels must be installed by a Service provider.





122 cm Dual Fuel Ranges

Model ICBDF48450CG

MODEL	PRICE
ICBDF48450CG/S/P	€20.480
ICBDF48450CG/S/P/LP	€20.480


Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(2) 4.5 kW
	(1) 2.7 kW
Infrared Griddle/Teppanyak	i 4.5 kW
Infrared Chargrill	4.5 kW
Shipping Weight	319 kg

FEATURES

- Dual-stacked, sealed burners
- Large dual convection oven with 11 cooking modes including Gourmet, and 457 mm single convection oven with 10 cooking modes



- Adjustable infrared griddle/teppanyaki
- Adjustable infrared chargrill
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks in the 762 mm oven
- 1 standard and 1 full-extension ball bearing racks in the 457 mm oven
- Multifunction pan
- Temperature probe
- Signature red knobs included

Model ICBDF48850

MODEL	PRICE
ICBDF48850/S/P	€19.440
ICBDF48850/S/P/LP	€19.440


Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(6) 4.5 kW
	(1) 2.7 kW
Shipping Weight	298 kg

FEATURES

- Dual-stacked, sealed burners
- Large dual convection oven with 11 cooking modes including Gourmet, and 457 mm single convection oven with 10 cooking modes



- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks in the 762 mm oven
- 1 standard and 1 full-extension ball bearing racks in the 457 mm oven
- Multifunction pan
- Temperature probe
- Signature red knobs included

Prices Effective

Model ICBDF48650G

MODEL	PRICE
ICBDF48650G/S/P	€19.420
ICBDF48650G/S/P/LP	€19.420


Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(4) 4.5 kW
	(1) 2.7 kW
Infrared Griddle/Teppany	aki 4.5 kW
Shipping Weight	314 kg

FEATURES

- Dual-stacked, sealed burners
- Large dual convection oven with 11 cooking modes including Gourmet, and 457 mm single convection oven with 10 cooking modes



- Adjustable infrared griddle/teppanyaki
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks in the 762 mm oven
- 1 standard and 1 full-extension ball bearing racks in the 457 mm oven
- Multifunction pan
- Temperature probe
- Signature red knobs included

Model ICBDF48450DG


MODEL	PRICE	
ICBDF48450DG/S/P	€20.480	
ICBDF48450DG/S/P/LP	€20.480	

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 927 n	nm H x 749 mm D
Surface Burners		(1) 5.3 kW
		(2) 4.5 kW
		(1) 2.7 kW
Infrared Double Griddle/Teppanyaki		4.5 kW
Shipping Weight		321 kg

- Dual-stacked, sealed burners
- Large dual convection oven with 11 cooking modes including Gourmet, and 457 mm single convection oven with 10 cooking modes



- Adjustable infrared double griddle/teppanyaki
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks in the 762 mm oven
- 1 standard and 1 full-extension ball bearing racks in the 457 mm oven
- Multifunction pan
- Temperature probe
- Signature red knobs included

122 cm Dual Fuel Range Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	9016122	€512
254 mm Riser	9016123	€636
508 mm Riser with Shelf	9016124	€1.223

^{*}Minimum 254 mm riser required against combustible surfaces.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	9026007	€322
Stainless Steel Knobs*	9043139	€264
Red Knobs	9039707	€322
Black Knobs	9026004	€322
Black Knobs*	9043140	€264
Brushed Brass Knobs	9056329	€322
Brushed Brass Knobs*	9056328	€264
Brushed Gray Knobs	9056331	€322
Brushed Gray Knobs*	9056330	€264
Bezels**		
Brushed Brass Bezels	9056791	€240

^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	9042311	€207
Griddle/Teppanyaki Mode	els	
279 mm Cutting Board	9022536	€240
559 mm Cutting Board	9022537	€248
Griddle/Teppanyaki Cleaning Kit	812278	€355
Cleaning Solution (4) 946 n	nl 812279	€223
Cleaning Pads (6) 10-packs	9021489	€248

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.

Oven Accessories

NUMBER	PRICE
9030652	€339
9052548	€190
823269	€149
819377	€132
9029357	€438
9034725	€355
9016697	€438
9022539	€248
9022541	€83
819376	€132
9034727	€322
823261	€149
	9030652 9052548 823269 819377 9029357 9034725 9016697 9022539 9022541 819376 9034727


Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cove	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022113	€83
76 mm Stainless Steel	9018545	€83
89 mm Stainless Steel	9022114	€83
102 mm Stainless Steel	9022115	€83
114 mm Stainless Steel	9022116	€83

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.

67

^{**}Brushed Brass Bezels must be installed by a Service provider.



152 cm Dual Fuel Range



Model ICBDF60650CG

MODEL	PRICE
ICBDF60650CG/S/P	€24.790
ICBDF60650CG/S/P/LP	€24.790

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1521 mm W x 927 mm H x 749 mm D
Surface Burners	(1) 5.3 kW
	(4) 4.5 kW
	(1) 2.7 kW
Infrared Griddle/Teppanya	aki 4.5 kW
Infrared Chargrill	4.5 kW
Shipping Weight	375 kg

FEATURES

- Dual-stacked, sealed burners
- Dual convection ovens with 11 cooking modes including Gourmet
- Adjustable infrared griddle/teppanyaki
- Adjustable infrared chargrill
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe
- Signature red knobs included

Model ICBDF60650DG


MODEL	PRICE
ICBDF60650DG/S/P	€24.790
ICBDF60650DG/S/P/LP	€24.790

Red knobs and stainless steel bezels included with the range. One set of optional color knobs available at reduced charge with product purchase.

SPECIFICATIONS

Overall Dimensions	1521 mm W x 927	mm H x 749 mm D
Surface Burners		(1) 5.3 kW
		(4) 4.5 kW
		(1) 2.7 kW
Infrared Double Griddle/Teppanyaki		4.5 kW
Shipping Weight		377 kg

- Dual-stacked, sealed burners
- Dual convection ovens with 11 cooking modes including Gourmet
- Adjustable infrared double griddle/teppanyaki
- Large full-color touch screen
- Low kW for true simmer and melts
- LED backlit control knobs
- 1 standard and 2 full-extension ball bearing racks (per oven)
- Multifunction pan
- Temperature probe
- Signature red knobs included



152 cm Dual Fuel Range Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	9016125	€653
254 mm Riser	9016126	€752
508 mm Riser with Shelf	9016127	€1.504

^{*}Minimum 254 mm riser required against combustible surfaces.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	9026007	€322
Stainless Steel Knobs*	9043139	€264
Red Knobs	9039707	€322
Black Knobs	9026004	€322
Black Knobs*	9043140	€264
Brushed Brass Knobs	9056329	€322
Brushed Brass Knobs*	9056328	€264
Brushed Gray Knobs	9056331	€322
Brushed Gray Knobs*	9056330	€264
Bezels**		
Brushed Brass Bezels	9056791	€240

^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	9042311	€207
Griddle/Teppanyaki Mod	els	
279 mm Cutting Board	9022536	€240
559 mm Cutting Board	9022537	€248
Griddle/Teppanyaki Cleaning Kit	812278	€355
Cleaning Solution (4) 946	ml 812279	€223
Cleaning Pads (6) 10-packs	9021489	€248

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.

Oven Accessories

DESCRIPTION	NUMBER	PRICE
Full-Ext Ball-Bearing Rack	9030652	€339
Standard Oven Rack	9052548	€190
762 mm Baking Sheet	823269	€149
Temperature Probe	823261	€149
Grill Pan	819377	€132
Multifunction Pan/Rack	9029357	€438
Dehydration Kit	9034725	€355
Bake Stone Kit	9016697	€438


Leg Extension Covers, Caster Covers and Kickplate

DESCRIPTION	NUMBER	PRICE
Front Leg Extension Cov	ers	
64 mm Covers	9022347	€149
89 mm Covers	9022607	€149
102 mm Covers	9022608	€149
114 mm Covers	9022609	€149
Rear Caster Covers		
64 mm Covers	9022587	€207
76 mm Covers	9022588	€207
89 mm Covers	9022589	€207
102 mm Covers	9022590	€207
114 mm Covers	9022591	€207
Kickplates		
64 mm Stainless Steel	9022117	€116
76 mm Stainless Steel	9018546	€116
89 mm Stainless Steel	9022118	€116
102 mm Stainless Steel	9022119	€116
114 mm Stainless Steel	9022120	€116

Use 64 mm for countertop heights ranging from 902 to 914 mm. Use 76 mm for countertop heights ranging from 908 to 927 mm. Use 89 mm for countertop heights ranging from 921 to 940 mm. Use 102 mm for countertop heights ranging from 934 to 953 mm. Use 114 mm for countertop heights ranging from 946 to 965 mm.

69

^{**}Brushed Brass Bezels must be installed by a Service provider.





91 cm Sealed Burner Rangetops

Model ICBSRT364G

MODEL	PRICE
ICBSRT364G	€6.530
ICBSRT364G-LP	€6.530

Red knobs and stainless steel bezels included with the rangetop. Black or stainless steel knobs available at reduced charge.

SPECIFICATIONS

Overall Dimensions	911 mm W x 216 mm H x 724 mm D
Surface Burners	(3) 4.6 kW
	(1) 2.8 kW
Infrared Griddle/Teppanyaki	5.5 kW
Shipping Weight	100 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners
- Infrared griddle/teppanyaki
- Stainless steel island trim
- Stainless steel bezels



Model ICBSRT362W

MODEL	PRICE
ICBSRT362W	€7.110
ICBSRT362W-LP	€7.110

Red knobs and stainless steel bezels included with the rangetop. Black or stainless steel knobs available at reduced charge.

SPECIFICATIONS

Overall Dimensions 911 mm W x 254 mm H x 72	
Overall Diffierisions	911 mm W x 254 mm H x 724 mm D
Surface Burners	(1) 4.6 kW
	(1) 2.8 kW
Wok Burner	10.3 kW
Shipping Weight	93 kg

- Stainless steel
- Dual-stacked, sealed burners
- 10.3 kW wok burner
- Stainless steel island trim
- Stainless steel bezels



91 cm Sealed Burner Rangetop Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	808523	€488
254 mm Riser	808524	€562
508 mm Riser with Shelf	808525	€1.066

^{*}Minimum 254 mm riser required against combustible surfaces.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	827316	€339
Stainless Steel Knobs*	827312	€264
Red Knobs	827317	€339
Black Knobs	827315	€339
Black Knobs*	827311	€264
Bezels		
Stainless Steel Bezels	818809	€132
Brass Bezels	804378	€132
Chrome Bezels	804384	€132


^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	826419	€207
Griddle/Teppanyaki Mode	el	
279 mm Cutting Board	809710	€240
Griddle/Teppanyaki Cleaning Kit	812278	€355
Cleaning Solution (4) 946 m	nl 812279	€223
Cleaning Pads (6) 10-packs	9021489	€248

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.

71





122 cm Sealed Burner Rangetops

Model ICBSRT484CG

MODEL	PRICE
ICBSRT484CG	€8.020
ICBSRT484CG-LP	€8.020


Red knobs and stainless steel bezels included with the rangetop. Black or stainless steel knobs available at reduced charge.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 216 mm H x 724 mm D
Surface Burners	(3) 4.6 kW
	(1) 2.8 kW
Infrared Griddle/Teppanyak	i 5.5 kW
Infrared Chargrill	5.8 kW
Shipping Weight	127 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners
- Infrared griddle/teppanyaki and chargrill
- Stainless steel island trim
- Stainless steel bezels



Model ICBSRT486G

MODEL	PRICE
ICBSRT486G	€7.710
ICBSRT486G-LP	€7.710


Red knobs and stainless steel bezels included with the rangetop. Black or stainless steel knobs available at reduced charge.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 216 mm H x 724 mm D
Surface Burners	(5) 4.6 kW
	(1) 2.8 kW
Infrared Griddle/Teppanya	iki 5.5 kW
Shipping Weight	118 kg

FEATURES

- Stainless steel
- Dual-stacked, sealed burners
- Infrared griddle/teppanyaki
- Stainless steel island trim
- Stainless steel bezels



Model ICBSRT484W


MODEL	PRICE	
ICBSRT484W	€8.180	
ICBSRT484W-LP	€8.180	

Red knobs and stainless steel bezels included with the rangetop. Black or stainless steel knobs available at reduced charge.

SPECIFICATIONS

Overall Dimensions	1216 mm W x 254 mm H x 724 mm D
Surface Burners	(3) 4.6 kW
	(1) 2.8 kW
Wok Burner	10.3 kW
Shipping Weight	116 kg

- Stainless steel
- Dual-stacked, sealed burners
- 10.3 kW wok burner
- Stainless steel island trim
- Stainless steel bezels



122 cm Sealed Burner Rangetop Accessories

Stainless Steel Risers

DESCRIPTION	NUMBER	PRICE
Stainless Steel Risers*		
127 mm Riser	808526	€554
254 mm Riser	808527	€653
508 mm Riser with Shelf	808528	€1.264

^{*}Minimum 254 mm riser required against combustible surfaces for chargrill and griddle/teppanyaki.

Knobs and Bezels

DESCRIPTION	NUMBER	PRICE
Knobs		
Stainless Steel Knobs	827316	€339
Stainless Steel Knobs*	827312	€264
Red Knobs	827317	€339
Black Knobs	827315	€339
Black Knobs*	827311	€264
Bezels		
Stainless Steel Bezels	818810	€149
Brass Bezels	804379	€149
Chrome Bezels	804385	€149


^{*}One set at reduced charge with product purchase.

Surface Accessories

DESCRIPTION	NUMBER	PRICE
Filler Trim (2-pc)	810919	€322
2-Burner Wok Grate*	826419	€207
Griddle/Teppanyaki Mod	els	
279 mm Cutting Board	809710	€240
Griddle/Teppanyaki Cleaning Kit	812278	€355
Cleaning Solution (4) 946 r	nl 812279	€223
Cleaning Pads (6) 10-packs	9021489	€248

73

^{*}Grate covers two burner positions allowing one burner to accommodate a rounded wok.



MODEL	PRICE
ICBOG30	€7.750
ICBOG30-LP	€7.750

SPECIFICATIONS

Overall Dimensions	762 mm W x 686 mm H x 762 mm D
Grill Burners	(2) 7.3 kW
Rotisserie Burner	4.1 kW
Shipping Weight	98 kg


FEATURES

- Weather-resistant stainless steel
- Built-in or portable (with CART30)
- Individually-contained grill burners
- Infrared rotisserie
- Hot-surface ignition system

Accessories

DESCRIPTION	NUMBER	PRICE
Canvas Cover		
Built-In Application	814730	€322
Cart Application	814731	€595
LP Tank	828008	€174
Built-In Liner	814105	€1.893
Black Knobs	827352	€174
Griddle/Teppanyaki Plate	825199	€959
Rotisserie Motor Kit*	827619	N/C
Conversion Kit RH Rotisserie	819434	€116

^{*}One kit at no charge with product purchase.



76 cm Grill Cart


MODEL	PRICE
CART30	€2.910

SPECIFICATIONS

Overall Dimensions	762 mm W x 927 mm H x 705 mm D
Configuration	2 Doors
Shipping Weight	73 kg

FEATURES

- Weather-resistant stainless steel
- Portable with outdoor grill ICBOG30
- Fold-down side shelves
- Interior pull-out tray
- Side burner for cart available



MODEL	PRICE
ICBOG36	€9.760
ICBOG36-LP	€9.760

SPECIFICATIONS

Overall Dimensions	914 mm W x 686 mm H x 762 mm D
Grill Burners	(2) 7.3 kW
Sear Zone	7.3 kW
Rotisserie Burner	4.1 kW
Shipping Weight	112 kg


FEATURES

- Weather-resistant stainless steel
- Built-in or portable (with CART36)
- Individually-contained grill burners with infrared sear zone
- Infrared rotisserie
- Hot-surface ignition system

Accessories

DESCRIPTION	NUMBER	PRICE
Canvas Cover		
Built-In Application	814732	€322
Cart Application	814733	€595
LP Tank	828008	€174
Built-In Liner	814106	€1.959
Black Knobs	827354	€223
Griddle/Teppanyaki Plate	825199	€959
Rotisserie Motor Kit*	827619	N/C
Conversion Kit RH Rotisserie	819434	€116

^{*}One kit at no charge with product purchase.



91 cm Grill Cart


MODEL	PRICE
CART36	€3.850

SPECIFICATIONS

Overall Dimensions	914 mm W x 927 mm H x 705 mm D
Configuration	Door and 2 Drawers
Shipping Weight	84 kg

FEATURES

- Weather-resistant stainless steel
- Portable with outdoor grill ICBOG36
- Fold-down side shelves
- Interior pull-out tray
- Side burner for cart available



MODEL	PRICE
ICBOG42	€10.560
ICBOG42-LP	€10.560

SPECIFICATIONS

Overall Dimensions 1067 mm W x 686 mm H x 762 m	
Grill Burners	(3) 7.3 kW
Sear Zone	7.3 kW
Rotisserie Burner	4.7 kW
Shipping Weight	122 kg


FEATURES

- Weather-resistant stainless steel
- Built-in or portable (with CART42)
- Individually-contained grill burners with infrared sear zone
- Infrared rotisserie
- Hot-surface ignition system

Accessories

DESCRIPTION	NUMBER	PRICE
Canvas Cover		
Built-In Application	814734	€322
Cart Application	814735	€595
LP Tank	828008	€174
Built-In Liner	814107	€2.091
Black Knobs	827354	€223
Griddle/Teppanyaki Plate	825199	€959
Rotisserie Motor Kit*	827619	N/C
Conversion Kit RH Rotisserie	819434	€116

^{*}One kit at no charge with product purchase.



107 cm Grill Cart


MODEL	PRICE
CART42	€4.190

SPECIFICATIONS

Overall Dimensions	1067 mm W x 927 mm H x 705 mm D Door and 2 Drawers	
Configuration		
Shipping Weight	88 kg	

FEATURES

- Weather-resistant stainless steel
- Portable with outdoor grill ICBOG42
- Fold-down side shelves
- Interior pull-out tray
- Side burner for cart available



MODEL	PRICE
ICBOG54	€14.010
ICBOG54-LP	€14.010

SPECIFICATIONS

Overall Dimensions	1372 mm x 686 mm x 762 mm	
Grill Burners	(4) 7.5 kW	
Sear Zone	7.5 kW	
Rotisserie Burner	(2) 4.1 kW	
Shipping Weight	159 kg	


FEATURES

- Weather-resistant stainless steel
- Built-in application
- Individually-contained grill burners with infrared sear zone
- Infrared rotisserie
- Hot-surface ignition system

DESCRIPTION	NUMBER	PRICE
Canvas Cover	818844	€455
LP Tank Canvas Cover	828008	€174
Built-In Liner	817048	#2.752
Black Knobs*	827352	€174
Griddle/Teppanyaki Plate	825199	€959
Rotisserie Motor Kit**	827619	N/C
Conversion Kit RH Rotisserie	819434	€116

^{*}Must order quantity two.

^{**}One kit at no charge with product purchase.



273 mm 762 mm 330 mm

Burner Module

MODEL	PRICE
ICBBM13	€2.640
ICBBM13-LP	€2.640

SPECIFICATIONS

Overall Dimensions	330 mm W x 273 mm H x 762 mm	
Gas Burner	7.2 kW	
Shipping Weight	23 kg	

FEATURES

- Weather-resistant stainless steel
- Built-in application
- Stainless steel cover included

Accessories

DESCRIPTION	NUMBER	PRICE
Black Knob	827394	€116

Side Burner for Cart

MODEL	PRICE
ICBSB13	€2.700
ICBSB13-LP	€2.700


SPECIFICATIONS


Overall Dimensions	330 mm W x 273 mm H x 762 mm D
Gas Burner	7.2 kW
Shipping Weight	23 kg

FEATURES

- Weather-resistant stainless steel
- Portable application on grill cart
- Stainless steel cover included

DESCRIPTION	NUMBER	PRICE
Black Knob	827394	€116





76 cm Cooktop Wall Hood / Stainless Steel

MODEL	PRICE
ICBVW30S*	€2.540

*Blower required.

SPECIFICATIONS

Overall Dimensions	762 mm W x 152 mm H x 559 mm D	
Telescoping Height	892 mm to 1149 mm	
With Flue Extension	1248 mm to 1505 mm	
Discharge	Transition to 152 mm round included	
Shipping Weight	39 kg	

FEATURES

- Stainless steel
- Telescopic flue
- Internal and remote blower options

91 cm Cooktop Wall Hood / Stainless Steel

MODEL	PRICE
ICBVW36S*	€2.600
*Blower required.	

SPECIFICATIONS

Overall Dimensions	914 mm W x 152 mm H x 559 mm D
Telescoping Height	892 mm to 1149 mm
With Flue Extension	1248 mm to 1505 mm
Discharge	Transition to 152 mm round included
Shipping Weight	45 kg

FEATURES

- Stainless steel
- Telescopic flue
- Internal and remote blower options


Accessories

DESCRIPTION	NUMBER	PRICE
Internal Blower		
900 CMH	824380	€1.041
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Accessories		
Recirculating Kit	823532	€455
Recirculating Filter	823533	€240
Flue Extension	823530	€785
762 x 762 mm Wall Shield	801633	€264
Make-Up Air Damper	820071	€636
Remote Control	823534	€149

Accessories

NUMBER	PRICE
824380	€1.041
812307	€1.347
812308	€1.545
812309	€2.099
823532	€455
823533	€240
823530	€785
820071	€636
823534	€149
	824380 812307 812308 812309 823532 823533 823530 820071

79



Cooktop Island Hood / Stainless Steel

MODEL	PRICE
ICBVI42S*	€3.710

*Blower required.


SPECIFICATIONS

Overall Dimensions	1067 mm W x 133 mm H x 673 mm D	
Telescoping Height With Flue Extension	724 mm to 946 mm 1175 mm to 1397 mm	
Discharge	Transition to 152 mm round included	
Shipping Weight	50 kg	

FEATURES

- Stainless steel
- Telescopic flue
- Internal and remote blower options

DESCRIPTION	NUMBER	PRICE
Internal Blower		
900 CMH	824380	€1.041
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Accessories		
Recirculating Kit	823540	€711
Recirculating Filter	823533	€240
Flue Extension	823531	€1.669
Make-Up Air Damper	820071	€636
Remote Control	823534	€149



91 cm Cooktop Wall Hood / Black

MODEL	PRICE
ICBVW36B*	€2.600

*Blower required.

SPECIFICATIONS

Overall Dimensions	914 mm W x 57 mm H x 489 mm D	
Telescoping Height With Flue Extension	797 mm to 1054 mm 1248 mm to 1505 mm	
Discharge	Transition to 152 mm round included	
Weight (with blower)	26 kg	

FEATURES

- Stainless steel
- Telescopic flue
- Internal and remote blower options

57 mm 1067 mm

107 cm Cooktop Island Hood / Black

MODEL	PRICE
ICBVI42B*	€3.740

*Blower required.

SPECIFICATIONS

Overall Dimensions	1067 mm W x 57 mm H x 673 mm D
Telescoping Height With Flue Extension	648 mm to 870 mm 1175 mm to 1397 mm
Discharge	Transition to 152 mm round included
Weight (with blower)	42 kg


FEATURES

- Stainless steel
- Telescopic flue
- Internal and remote blower options

Accessories

DESCRIPTION	NUMBER	PRICE
Internal Blower		
900 CMH	824380	€1.041
Remote Blower		
1528 CMH	812307	€1.347
Accessories		
Recirculating Kit	823532	€455
Recirculating Filter	823533	€240
Flue Extension	823530	€785
Make-Up Air Damper	820071	€636
Remote Control	823534	€149

DESCRIPTION	NUMBER	PRICE
Internal Blower		
900 CMH	824380	€1.041
Remote Blower		
1528 CMH	812307	€1.347
Accessories		
Recirculating Kit	823540	€711
Recirculating Filter	823533	€240
Flue Extension	823531	€1.669
Make-Up Air Damper	820071	€636
Remote Control	823534	€149



91 cm Downdraft System

MODEL	PRICE
ICBDD36*	€2.390
*Blower required.	


SPECIFICATIONS

Overall Dimensions	914 mm W x 356 mm H x 51 mm D
Discharge (Internal)	152 mm Round
Discharge (Remote)	254 mm Round
Shipping Weight	36 kg

FEATURES

- Stainless steel
- Internal or remote blower options
- Wired, remote control module

DESCRIPTION	NUMBER	PRICE
Internal Blower		
900 CMH	823504	€1.041
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
Combination Installation		
Contemporary Cooktop Trim	828290	€438
Downdraft System		
Recirculating Kit	826101	€1.355
Recirculating Filter	826102	€554
Make-Up Air Damper	820071	€636
203 mm Inline Damper	821147	€207
254 mm Inline Damper	821148	€223




69 cm Deep Hood

MODEL	PRICE
ICBPW302718*	€3.050
*Blower required.	
SPECIFICATIONS	
Overall Dimensions	762 mm W x 457 mm H x 686 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	31 kg

FEATURES

- Heavy-duty stainless steel
- Heat lamps (bulbs not included)
- Vertical discharge
- Internal or remote blower options

DESCRIPTION	NUMBER	PRICE
Internal Blower		
1528 CMH	813161	€1.355
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Horizontal Discharge Kit	822165	€149
Backsplash		
762 x 965 mm Backsplash	810425	€653
Backsplash with Racks	810432	€1.240
Duct Cover		
152 mm Duct Cover	810710	€868
305 mm Duct Cover	810717	€967
457 mm Duct Cover	810724	€1.066
610 mm Duct Cover	810731	€1.190
762 mm Duct Cover	813969	€1.273
914 mm Duct Cover	827871	€1.380



61 cm Deep Hood

MODEL	PRICE
ICBPW362418*	€3.030
*Blower required.	

SPECIFICATIONS

Overall Dimensions	914 mm W x 457 mm H x 610 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	35 kg

FEATURES

- Heavy-duty stainless steel
- Vertical discharge
- Horizontal discharge kit available
- Internal or remote blower options

69 cm Deep Hood

MODEL	PRICE
ICBPW362718*	€3.150

^{*}Blower required.


SPECIFICATIONS

Overall Dimensions	914 mm W x 457 mm H x 686 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	36 kg

FEATURES

- Heavy-duty stainless steel
- Heat lamps (bulbs not included)
- Vertical discharge
- Internal or remote blower options
- Recirculating kit for non-ducted applications

DESCRIPTION	NUMBER	PRICE
Internal Blower		
1528 CMH	813161	€1.355
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Horizontal Discharge Kit	822166	€190
Backsplash		
914 x 965 mm Backsplash	810426	€678
Backsplash with Racks	810433	€1.331
Duct Cover		
152 mm Duct Cover	810711	€917
305 mm Duct Cover	810718	€1.000
457 mm Duct Cover	810725	€1.074
610 mm Duct Cover	810732	€1.198
762 mm Duct Cover	813970	€1.314
914 mm Duct Cover	827872	€1.421




69 cm Deep Hood

MODEL	PRICE
ICBPW422718*	€3.120
*Blower required.	
SPECIFICATIONS	
Overall Dimensions	1067 mm W x 457 mm H x 686 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	40 kg

FEATURES

- Heavy-duty stainless steel
- Heat lamps (bulbs not included)
- Vertical discharge
- Internal or remote blower options

DESCRIPTION	NUMBER	PRICE
Internal Blower		
1528 CMH	813161	€1.355
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Horizontal Discharge Kit	822167	€207
Backsplash		
1067 x 965 mm Backsplash	810427	€744
Backsplash with Racks	810434	€1.521
Duct Cover		
152 mm Duct Cover	810712	€959
305 mm Duct Cover	810719	€1.041
457 mm Duct Cover	810726	€1.116
610 mm Duct Cover	810733	€1.223
762 mm Duct Cover	813971	€1.347
914 mm Duct Cover	827873	€1.787



61 cm Deep Hood

MODEL	PRICE
ICBPW482418*	€3.120
*Blower required.	

SPECIFICATIONS

Overall Dimensions	1219 mm W x 457 mm H x 610 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	43 kg

FEATURES

- Heavy-duty stainless steel
- Vertical discharge
- Horizontal discharge kit available
- Internal or remote blower options

69 cm Deep Hood

MODEL	PRICE
ICBPW482718*	€3.260

^{*}Blower required.


SPECIFICATIONS

Overall Dimensions	1219 mm W x 457 mm H x 686 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	44 kg

FEATURES

- Heavy-duty stainless steel
- Heat lamps (bulbs not included)
- Vertical discharge
- Internal or remote blower options

DESCRIPTION	NUMBER	PRICE
Internal Blower		
1528 CMH	813161	€1.355
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Horizontal Discharge Kit	822168	€207
Backsplash		
1219 x 965 mm Backsplash	810428	€843
Backsplash with Racks	810435	€1.653
Duct Cover		
152 mm Duct Cover	810713	€967
305 mm Duct Cover	810720	€1.066
457 mm Duct Cover	810727	€1.157
610 mm Duct Cover	810734	€1.264
762 mm Duct Cover	813972	€1.372
914 mm Duct Cover	827874	€1.488



69 cm Deep Hood

MODEL	PRICE
ICBPW602718*	€3.480
*Blower required.	
SPECIFICATIONS	
Overall Dimensions	1524 mm W x 457 mm H x 686 mm D
Discharge	Transition to 254 mm round included
Shipping Weight	54 kg

FEATURES

- Heavy-duty stainless steel
- Heat lamps (bulbs not included)
- Vertical discharge
- Internal or remote blower options

Accessories

DESCRIPTION	NUMBER	PRICE
Internal Blower		
1528 CMH	813161	€1.355
Remote Blower		
1528 CMH	812307	€1.347
2028 CMH	812308	€1.545
2535 CMH	812309	€2.099
Horizontal Discharge Kit	822170	€223
Backsplash		
1524 x 965 mm Backsplash	810430	€926
Backsplash with Racks	810437	€1.868
Duct Cover		
152 mm Duct Cover	810715	€1.066
305 mm Duct Cover	810722	€1.157
457 mm Duct Cover	810729	€1.240
610 mm Duct Cover	810736	€1.355
762 mm Duct Cover	813974	€1.488
914 mm Duct Cover	827876	€1.595

87



